

White De-Icing

1. IDENTIFICATION OF THE SUBSTANCE

Chemical Name: Sodium Chloride
Chemical Formula: NaCl
Alternative Names: Sodium Chloride, Common Salt, Evaporated Salt

2. COMPOSITION/INFORMATION OF INGREDIENTS

Sodium 39.4% by weight
Chlorine 60.6% by weight

Some salts are especially treated with a harmless anti-caking additive. Salt contains no water of crystallization but absorbs moisture from damp atmospheres above 75% relative humidity.

3. HAZARDS IDENTIFICATION

Unlikely to cause harmful effects under normal conditions of handling and use.

4. FIRST AID MEASURES

Skin : Wash with plenty of water.
Eyes : Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes. If symptoms develop, obtain medical attention
Inhalation : Remove patient from exposure.
Digestion : Wash out mouth with water and give 200-300ml(half a pint) of water to drink. Obtain immediate medical attention if ill –effects occur.

Further Medical Treatment: Symptomatic treatment and supportive therapy as indicated.

5. FIRE FIGHTING MEASURES

Non –combustible
Extinguishing Media:
As appropriate for surrounding fire

Fire Fighting Protective Equipment: No special requirements.

White De-Icing

6. ACCIDENTAL RELEASE MEASURES

Clear up spillages
Transfer to a container for disposal
Wash the spillage area with water

Spillages or uncontrolled discharges into watercourses, drains or sewers must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body

7. HANDLING AND STORAGE

Avoid prolonged contact with the skin. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Keep away from strong acids and common metals. Static electricity can be generated by pneumatic conveying, therefore pipes should be bonded and earthed, especially where a spark could prove hazardous.

Storage keep container dry. Keep away from strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear suitable clothing, gloves and eye/face protection. An approved dust mask should be worn if exposure to high levels of dust is likely.

LONG TERM EXPOSURE LIMIT	(8hr time weighted average)
Total Inhalable Dust	10mg/kg
Respirable Dust	4mg/kg
	(UK HSE Guidance Note EH40)

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Crystals
Pure dried vacuum(PDV)	:	Free running cubic crystals mostly 0.2-0.6mm in size
Undried vacuum (UV)	:	Not free running . Contains approximately 3% moisture .
Hydrosoft Granular	:	Rounded crystals 1-3mm in size
Hydrosoft Tablets	:	Compacted Pure Dried Vacuum Salt
Colour	:	Colourless
Odour	:	Odourless
Melting Point	:	802°C
Boiling Point	:	1413°C
Density of Sodium Chloride(g/ml)	:	up to 2.165 g/ml at 20 °C
Bulk Density (g/ml)(not tablets)	:	1.2 to 1.5 approx
Solubility	:	freely soluble

White De-Icing

10. STABILITY AND REACTIVITY

Hazardous Reactions : Reactions with concentrated acid will produce hydrogen chloride. Under wet conditions, will corrode many common metals, particularly iron, aluminium and zinc.

11. TOXICOLOGICAL INFORMATION

Skin Will remove the natural greases resulting in dryness, cracking and possibly dermatitis. Repeated and/ or prolonged skin contact may cause irritation.

Eyes Dust may cause irritation.

Inhalation High concentrations of salt dust may be irritant to the respiratory tract.

Ingestion May cause vomiting and diarrhoea. The swallowing of small amounts is unlikely to cause adverse effects

Long Term Exposure : Repeated ingestion of excessive amounts may cause disturbance of body electrolyte and fluid balance.

12. ECOLOGICAL INFORMATION

Environmental Fate and Distribution. :

High tonnage material used in open systems. Solid with low volatility. The product is soluble in water .The product has no potential for bioaccumulation
The product is predicted to have mobility in soil.

Toxicity : **Low toxicity to aquatic organisms**

Effect on Effluent Treatment : Adverse effects would not be expected

13. DISPOSAL CONSIDERATIONS

Spillages should be in accordance with local, state or national legislation.

14. TRANSPORT CONSIDERATIONS

Not listed as Dangerous for Transport.

15. REGULATORY INFORMATION

Not classified as dangerous for Supply/Use.

Low hazard rating :

Not listed as hazardous for shipment by land, sea or air.

CAS Number : 7647-14-5

EINECS : 231-598-3

Customs Tariff: 2501 00 99

UK Customs Number : **231488**

16. OTHER INFORMATION

This information was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding it's correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of the product.



White De-Icing

JC PEACOCK & COMPANY LTD, NORTH HARBOUR, AYR, KA8 8AE – TEL 01292 292 000 – FAX 01292 292 001

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.